Outdoor Stele Touch/Nontouch





Specifications



Panel Type: TFT - LCD Model No.: US-TH550 YDH Size: 55" **Resolution:** 1920 x 1080 Brightness: 2500 cd/m2 Contrast (Typ): 4000:1 **Orientation:** Portrait 24/7 **Operating Hours: Response time:** 5 ms Aspect ratio: 16:9



Display Area W x H:

Touch

Specification:	Capacitive Touch
Positioning accuracy:	± 2mms
Transmittance:	92 %
Hardness:	7 H
Click manner:	10 points touch
Response Time:	≤ 10 ms
Output Resolutions:	4096 x 4096
Life Time:	More than 600 million times

1209,6 x 680,4 mm



Speaker

Built in speaker:

2 x 5 W (8Ω)



Input:	AC100V~240V 50/60 HZ
Max. Power consumption:	≤ 310 W single side ≤ 620 W double side
Standby consumption:	≤ 30 W single side ≤ 60 W double side
Air Conditioner consumption:	450 W



Environment

Operation Temperature:	-40 ~ 55 C
Operation Humudity:	10% ~ 90%
Temperature Control System:	Air-conditioner
Brightness Control:	Automatic light sensor
	System
Waterproof grade:	Outdoor IP65



OS Operating System

OS:

Android 11



Connectivity

2,4 GHZ
4G / 5G
1 x
1 x
1 x



Bezel Color:	Black, Metal case SPCC
Protective Glass:	AR Glass
Installation:	Floor Standing



Standard Certification:	CE, FCC, ROHS
Quality Standard:	ISO9001, CCC

Technical



