D-Screen Wall mounted or Floor Standing





Round-the-clock operation

displays can be used as reliable digital signage for both offline and cloud based content 24 hours a day, 7 days a week.

Overview



Wall mounted or Floor Standing

Use the device by mounting it on the wall, or place it anywhere you like using the stand.



up to 2000 nits

Brilliant Clarity with 2000 Nit Brightness for Showcases or 350 nit for indoor usage.



Full HD

ensures perfect colour and rich details in all possible broadcasting surroundings, ranging from shops, to restaurants and office buildings.





Specifications 43"



Panel

| Panel Type: | LCD |
|------------------|--|
| Model No.: | SAN-W4305 |
| Size: | 43" |
| Resolution: | 1080 x 1920 |
| Brightness: | 350nit (indoor) or 2000nit (showcase) |
| Contrast (Typ): | 1000:1 |
| Orientation: | Portait / Landscape |
| Operating Hours: | 16 / 7 |
| Response time: | 8 ms |
| Aspect ratio: | 16:9 |
| Display Area: | 530 x 940 mm |
| | |



OS Operating System

| OS: | Android |
|--------------|---------|
| Connectivity | |
| HDMI | 1 x |
| USB | 2 x |
| Physical | |

| Bezel Color: | Black or White |
|----------------------------|-----------------------------------|
| Set Dimension (WxHxD): | 578 x 990 x 40 mm |
| Net Weight: | 20 KG |
| Floor Stand: | 430 x 578 mm |
| Packing Dimension (WxHxD): | 1160 x 660 x 150 mm |
| Packed Weight: | 27 KG |
| Installation: | Wall mounted or Floor Standing |
| Usage: | Showcases |

| \bigcirc | |
|------------|--|

Power

Power Consumption:

20 W



Environment

| Operation Temperature: | 0 - 40 |
|-------------------------------|----------|
| Operation Humudity: | 0 - 85 % |



Built in speaker:

2 x 3 W

Specifications 49"




Panel

| Panel Type: | LCD |
|------------------|--|
| Model No.: | SAN-W4905 |
| Size: | 49" |
| Resolution: | 1080 x 1920 |
| Brightness: | 350nit (indoor) or 2000nit (showcase) |
| Contrast (Typ): | 1000:1 |
| Orientation: | Portait / Landscape |
| Operating Hours: | 16 / 7 |
| Response time: | 8 ms |
| Aspect ratio: | 16:9 |
| Display Area: | 605 x 1075 mm |
| | |



OS Operating System

| OS: | Android |
|--------------|---------|
| Connectivity | |
| HDMI | 1 x |
| USB | 2 x |



| Bezel Color: | Black or White |
|----------------------------|-----------------------------------|
| Set Dimension (WxHxD): | 639 x 1109 x 40 mm |
| Net Weight: | 23 KG |
| Floor Stand: | 430 x 578 mm |
| Packing Dimension (WxHxD): | 1203 x 733 x 134 mm |
| Packed Weight: | 27 KG |
| Installation: | Wall mounted or Floor Standing |
| Usage: | Showcases |

| \mathcal{D} | P |
|---------------|---|
| | |

Power

Power Consumption:

150 W



Environment

| Operation Temperature: | 0 - 40 |
|----------------------------|----------|
| Operation Humudity: | 0 - 85 % |



Built in speaker:

2 x 3 W

Specifications 55"



Panel

| Panel Type: | LCD |
|------------------|--|
| Model No.: | SAN-W5505 |
| Size: | 55" |
| Resolution: | 1080 x 1920 |
| Brightness: | 350nit (indoor) or 2000nit (showcase) |
| Contrast (Typ): | 1000:1 |
| Orientation: | Portait / Landscape |
| Operating Hours: | 16 / 7 |
| Response time: | 8 ms |
| Aspect ratio: | 16:9 |
| Display Area: | 682 x 1210 mm |
| | |



OS Operating System

| OS: | Android |
|--------------|---------|
| Connectivity | |
| HDMI | lx |
| USB | 2 x |
| Physical | |

| Bezel Color: | Black or White |
|----------------------------|-----------------------------------|
| Set Dimension (WxHxD): | 745 x 1275 x 42 mm |
| Net Weight: | 31 KG |
| Floor Stand: | 430 x 578 mm |
| Packing Dimension (WxHxD): | 1360 x 830 x 165 mm |
| Packed Weight: | 32,6 KG |
| Installation: | Wall mounted or Floor Standing |
| Usage: | Showcases |

| | Ρ |
|--|---|
| | |

Power

Power Consumption:

200 W



Environment

| Operation Temperature: | 0 - 40 |
|-------------------------------|----------|
| Operation Humudity: | 0 - 85 % |



Built in speaker:

2 x 3 W