

# Outdoor D-Stand Floor Standing



## Overview



### Round-the-clock operation

displays can be used as reliable digital signage for both offline and cloud based content 24 hours a day, 7 days a week.



### Moveable

Effortless Mobility with Built-In Wheels for Easy Positioning and Quick Adaptation to Changing Needs.



### 1500 nits

Brilliant Clarity with 1500-Nit Brightness for All Lighting Conditions. Works even with direct sunlight.




### Full HD

ensures perfect colour and rich details in all possible broadcasting surroundings, ranging from shops, to restaurants and office buildings.



### Anti-Glare

Optical technology diffuses mirror-like reflections and bright lights to help keep what's on your screen clear and visible.



### Batterie operated

A battery-powered digital sign with a 10-hour battery life doesn't need a power outlet, allowing flexible placement throughout the store or outdoors. (optional)



### Waterproof & Dustproof

Unique full-sealed enclosure for outdoor use, Waterproof and dustproof meet IP65.

# Specifications 32"



## Panel

Panel Type:	LED Panel
Model No.:	US-TH430 PLS
Size:	43"
Resolution:	1920 x 1080 (Full HD)
Brightness:	1500 cd/m2
Contrast (Typ):	3500 : 1
Orientation:	Portrait
Operating Hours:	24 / 7
Response time:	6 ms
Aspect ratio:	16 : 9
Display Area:	934 (W) x 5231 (H)



## Battery

Technology:	Integrated polymer lithium battery
Charging time:	7 hours
Battery life:	14 hours
Battery capacity:	50000 mAh
Input Voltage:	24 V



## Speaker

Built in speaker:	2 x 5 W (8Ω)
-------------------	--------------



## Power

Input:	AC100V~240V
Power Consumption:	≤100W
Standby Consumption:	≤3W



## Environment

Operation Temperature:	0 - 50 C
Operation Humidity:	20% - 80 %



## Operating System

OS:	Android
-----	---------



## Connectivity

HDMI out:	1 x
USB	2 x



## Physical

Bezel Color:	Black
Waterproof Level:	IP65
Set Dimension (WxHxD):	1236 x 148 x 588 mm
Net Weight:	40 KG
Packing Dimension (WxHxD):	1350 x 300 x 700 mm
Packed Weight:	48 KG
Installation:	Floor Standing (Portable/Moveable)



## Certification

Standard Certification:	ISO9001, CCC, CE, FCC, ROHS
-------------------------	--------------------------------

# Technical

