


Telekom Gateway



countbird



Informationen

- Easy Setup
- Einfach setup over USB
- Data over mobile internet connection
- Up to 10 devices each containing multiple sensors
- Memory for offline storage
- Low data traffic
- Connected to IMBuildings Cloud

Specifications

Power supply	: 230V/5V Power Adapter
IoT Communication	: 868 MHz or 915MHz ISM band
IoT Connections	: 10
Communication Interface	: 3G/4G, LTE Cat-M1*
Dimensions	: 117x74x25mm (excl. antenna)
Color/Material	: Schwarz / ABS

office@greenbird.fm
+43 2239 62002



IoT People Counter



The IoT People Counter works with horizontal infrared technology. No camera or personal data is used, meaning you will not have issues regarding the European GDPR.

Easy installation for accurate counting without the need for setting up count lined or calibration and so on. Count values are registered for people entering and leaving. Data is send within a minute to the IoT Gateway. Status information for remote monitoring is available. A version which sends data immediately after a count is also available.



Informationen

- Easy installation
- Free from GDPR issues
- Battery powered
- Bi-Directional horizontal counting
- Infrarot Technologie
- Enhanced Noise Immunity

Specifications

Power Supply	: 2x 1,5 V AA Alkaline batteries
IoT Communication	: 868 MHz or 915MHz ISM band
Wireless range	: 30m / 100ft. (ungehindert)
Battery life	: ungefähr 1 Jahr
Dimensions	: 116x69x22 mm
Color/Material	: Schwarz oder Weiß / ABS

IoT Gateway Ethernet



countbird



Informationen

- Easy installation
- Easy setup over USB
- Data over Ethernet connection
- Up to 10 devices each containing multiple sensors
- Memory for offline storage
- Low data traffic
- Connected to IMBuilding Cloud

Specifications

Power supply	: 230V/5V Power Adapter
IoT Communication	: 868 MHz or 915MHz ISM band
IoT Connections	: 10
Communication Interface	: 10/100M Ethernet
Dimensions	: 117x74x25mm
Color/Material	: Grey / ABS

office@greenbird.fm
+43 2239 62002

